




Hospital Lifts

Civil Dimensions



Automatic Doors-Hospital Lifts

Automatic Centre Opening Doors-Hospital Lifts

Automatic Telescopic Doors-Hospital Lifts

| No. of Persons | Rated Capacity | Entrance Width | Car Size | | Hoistway Dimensions | | Machine Room | | No. of Persons | Rated Capacity | Entrance Width | Car Size | | Hoistway Dimensions | | Machine Room | |
|----------------|----------------|----------------|-------------|-------------|---------------------|---------|--------------|-------|----------------|----------------|----------------|----------|---------|---------------------|--|--------------|--|
| | | | A x B | C x D | C x D | MA x MB | E | A x B | | | | C x D | MA x MB | | | | |
| 10 | 680 | 800 | 900 X 1950 | 1750 X 2500 | 2500 X 3500 | 10 | 680 | 800 | 900 X 1950 | 1550 X 2500 | 2500 X 3500 | | | | | | |
| 15 | 1020 | 900 | 1000 X 2400 | 1950 X 3000 | 3000 X 3600 | 15 | 1020 | 900 | 1000 X 2400 | 1750 X 3000 | 3000 X 3600 | | | | | | |
| 20 | 1360 | 1000 | 1300 X 2400 | 2200 X 3000 | 3000 X 4000 | 20 | 1360 | 1000 | 1300 X 2400 | 2050 X 3000 | 3000 X 4000 | | | | | | |
| 26 | 1768 | 1200 | 1600 X 2400 | 2600 X 3000 | 3000 X 4000 | 26 | 1768 | 1200 | 1600 X 2400 | 2350 X 3000 | 3000 X 4000 | | | | | | |

All Dimensions are in mm

- Notes:
1. The Minimum Dimensions are shown in above Table. Some allowances should be considered for Sloping Hoistways.
 2. Above Dimensions are based on Centre Opening Door Arrangement. For other Arrangements Consult Stroj.
 3. When Non -Standard Capacities & Dimensions are required, then consult Stroj.
 4. All dimensions of lift shaft, machine room, car inside & door opening mentioned above are subject to approval by Local Lift Statutory Government Department